

Stuffing materials: HMTc Standard

Karen Pendergrass ·  · Heavy Metal Tested & Certified, Institute of Contaminant Standards

CITE AS

Pendergrass, K. (2026). Stuffing materials: HMTc Standard (Standard No. 10.83138/hmtc.std.21.toys-stuffing-materials). Institute of Contaminant Standards.
<https://doi.org/10.83138/hmtc.std.21.toys-stuffing-materials>
© 2026 Institute of Contaminant Standards / Heavy Metal Certified. All rights reserved.

KEYWORDS

heavy metals, food safety, dietary exposure

PUBLICATION HISTORY

This revision 2026-08.

CORRESPONDENCE

Corrections are logged publicly on the article page, each with its date, the affected value, and the source that resolved it.

Abstract

The Heavy Metal Tested & Certified heavy-metal-safety standard for stuffing materials in Children's Toys, Arts, and Crafts, evaluated on element MIGRATION from dry, brittle, powder-like or pliable toy material (EN 71-3 Category I, mg/kg of material): a migration ceiling, not a total-content ceiling. 8 of 11 panel analytes publish a numeric limit taken from the strictest applicable government maximum; the remainder are held under mandatory control or a substantiated not-material determination.

1 | How every number on this standard is set

HMTc Method v2.0 (government-limit default; strictest applicable sovereign maximum in the row's native basis, disclosed read-across where the exact cell is unregulated; never occurrence-derived). Category 21 publishes on the element-migration basis only, pooling the EU, US and Mexican migration instruments, with each row pinned to the EN 71-3 material category or categories its scope actually spans.

2 | Master limit table

All values in ppb (µg/kg), as sold basis. A brand meeting every value qualifies for the mark.

ANALYTE	TIER	HMTc LIMIT	BASIS
Lead (Pb)	Tier 1	2,000	government maximum level
Cadmium (Cd)	Tier 1	1,300	government maximum level

Total arsenic (tAs)	Tier 2	3,800	government maximum level
Inorganic arsenic (iAs)	Tier 1	n/m	not material in this matrix
Mercury, total (tHg)	Tier 1	7,500	government maximum level
Methylmercury (MeHg)	Tier 1	n/m	not material in this matrix
Nickel (Ni)	Tier 2	75,000	government maximum level
Tin (Sn)	Tier 2	15,000,000	screening ceiling (European Union)
Aluminium (Al)	Tier 2	2,250,000	government maximum level
Total chromium (Cr)	Tier 2	60,000	screening ceiling (US FDA)
Hexavalent chromium (Cr-VI)	Tier 2	20	government maximum level

3 | Derivation – where each number comes from

Every cell traces to one named sovereign maximum level (the strictest for the nearest analog), or to an explicit control, not-material, or species-bounded determination. No occurrence statistic selects a certification value.

ANALYTE	HMTC	SOVEREIGN ANALOG / DETERMINATION
Lead (Pb)	2,000	government maximum level
Cadmium (Cd)	1,300	government maximum level
Total arsenic (tAs)	3,800	government maximum level

Inorganic arsenic (iAs)	n/m	No sovereign toy-safety instrument sets an inorganic-arsenic limit. Directive 2009/48/EC Annex II Part III point 13, EN 71-3, ISO 8124-3:2020 Table 1, ASTM F963-17 4.3.5 and NOM-252-SSA1-2011 Table 1 all regulate TOTAL arsenic migration from toy material; inorganic arsenic is a dietary speciation with no article-migration counterpart. Arsenic in loose fill: fibre wadding, foam, granulate, micro-bead, ground shell or bean fill is bounded by the published total-arsenic migration ceiling by identity (iAs <= tAs), so a separate inorganic-arsenic ceiling would add no control.
Mercury, total (tHg)	7,500	government maximum level
Methylmercury (MeHg)	n/m	Methylmercury is produced by microbial methylation in aquatic systems and reaches humans by diet. loose fill: fibre wadding, foam, granulate, micro-bead, ground shell or bean fill carries no methylation pathway and no dietary route, and no sovereign toy instrument sets a methylmercury limit: every toy mercury limit (2009/48/EC point 13, ASTM F963-17 4.3.5, ISO 8124-3:2020, NOM-252-SSA1-2011, Canada SOR/2011-17 and SOR/2016-193) is on total mercury. Any organomercury fraction is bounded by the published total-mercury migration ceiling by identity (MeHg <= tHg).
Nickel (Ni)	75,000	government maximum level
Tin (Sn)	15,000,000	government maximum level
Aluminium (Al)	2,250,000	government maximum level
Total chromium (Cr)	60,000	government maximum level
Hexavalent chromium (Cr-VI)	20	government maximum level

4 | Cite this standard

Pendergrass, K. (2026). *Stuffing materials: HMTc standard* (Standard No. 10.83138/hmtc.std.21.toys-stuffing-materials). Institute of Contaminant Standards. <https://doi.org/10.83138/hmtc.std.21.toys-stuffing-materials>

© 2026 Institute of Contaminant Standards / Heavy Metal Certified. All rights reserved.

STATUS AND LICENCE

A normative certification standard, editorially reviewed and version-controlled in-house; every value traces to a named sovereign maximum level, disclosed in the derivation. © 2026 Institute of Contaminant Standards / Heavy Metal Certified. All rights reserved.

DATA AVAILABILITY

The works this reference draws on are listed in full in the references above and on the briefing page at <https://heavymetalcertified.com/standards/toys-stuffing-materials>. Primary legal instruments and expert-body assessments are named with their public identifiers; the underlying occurrence and toxicology corpus is maintained on the Heavy Metal Index.

COMPETING INTERESTS

This briefing is published by the Heavy Metal Tested & Certified (HMTc) program, operated by the Institute of Contaminant Standards. Its statements about government regulations, toxicology, and occurrence are sourced to the cited primary and expert-body records and to the independently maintained Heavy Metal Index; the program's own certification thresholds are not used as evidence for any factual claim made here.

PUBLICATION HISTORY

This revision 2026-08. The full dated record is maintained at <https://heavymetalcertified.com/standards/toys-stuffing-materials>.